

EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Certificate No: **MEDB000008T** Revision No:

1

Application of: Council Directive 96/98/EC of 20 December 1996 on Marine Equipment as amended by directive (EU) 2015/559, issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Directorate. This Certificate is issued by DNV GL AS under the authority of the Government of the Kingdom of Norway.

This is to certify:

That the Radar equipment CAT 3

with type designation(s) FAR-1518(-BB)/FAR-1528(-BB)

Issued to

Furuno Electric Co., Ltd. Nishinomiya Hyogo Pref, Japan

is found to comply with the requirements in the following Regulations/Standards:

Annex A.1, item No. A.1/4.36 and Annex B, Module B in the Directive; SOLAS 74 as amended, Regulation V/18 & V/19, IMO Res A.278(VIII) & A.694(17), IMO Res MSC. 191(79) & 192(79), ITU-R M.1177-4 (04/11)

Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until 2021-07-12.

Issued at Høvik on 2016-07-13

DNV GL local station:

Kobe

Approval Engineer:

Olaf Gundersrud

(3)

for **DNV GL AS**

Notified Body No.: **0575** Vidar Dolonen Head of Notified Body

A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F), as allowed by the "Agreement between the United States of America and the EEA EFTA states on the mutual recognition of Certificates of Conformity for Marine Equipment" signed 17 October 2005.

The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Council Directive 96/98/EC, as amended.

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV GL AS of any changes to the approved equipment.

Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.



Form code: MED 101.NOR Revision: 2015-11 © DNV GL 2014. DNV GL and the Horizon Graphic are trademarks of DNV GL AS.

Job Id: **344.1-004741-5** Certificate No: **MEDB000008T**

Revision No: 1

Product description

The Radar FAR-1518/1518-BB, FAR-1528/1528-BB consist of the following units:

Unit	Location
Main processing unit	Protected
Display unit	Protected
Operation Panel /control unit(s)	Protected
Antenna unit	Exposed

For details, see Appendix.

Application/Limitation

■ The FAR-radar shall be installed and tested onboard in accordance with the Installation Manual IME-36380-Z10 (or later versions)

Type Examination documentation

See Appendix.

Tests carried out

- IEC62388(2013)
- IEC61162-1(2010)
- IEC61162-2(1998)
- IEC62288(2014)
- IEC60945(2002) as amended

Marking of product

The manufacturer and Type Designation to be applied to the equipment in a clearly visible location and in addition the equipment shall be marked with serial number, safe distance to magnetic compass, power consumption and/or supply voltage.

Mark of Conformity

The manufacturer is allowed to affix the Mark of Conformity according to Article 11 in the Council Directive 96/98/EC on Marine Equipment and shall issue a Declaration of Conformity, only when the module D or E or F of Annex B in the same directive is fully complied with.

Module D: The quality system for production and testing shall be approved by the Notified Body.

Module E: The quality system for inspection and testing shall be approved by the Notified Body.

Module F: Compliance of the products to type as described in this EC Type-Examination Certificate

must be verified by the Notified Body who also shall issue a Certificate of Conformity.

USCG Approval(EPA)

The TT-part (EPA) of this product has been assigned a **U.S. Coast Guard Module B number** 165.117/EC0575 to note type approval to Module B only as it pertains to obtaining US Coast Guard approval as allowed by the "Agreement between the United States of America and the EEA EFTA states on the mutual recognition of Certificates of Conformity for Marine Equipment" signed 17 October 2005. The RADAR equipment used with EPA must have a separate U.S. certification.

Form code: MED 101.NOR Revision: 2015-11 www.dnvgl.com Page 2 of 4

Job Id: **344.1-004741-5** Certificate No: **MEDB000008T**

Revision No: 1

APPENDIX

Product description:

The Radar FAR-1518/FAR-1518-BB/FAR-1528/FAR-1528-BB comprises combinations of the following units:

Unit	Model Name	Components	Remark	
Processing Unit	RPU-024			
Data Interfaces	(embedded)	2 ports	IEC61162-2/IEC61162-1	
	(embedded)	4 ports	IEC61162-1	
	RGB output	1 port	To VDR	
Display Unit (VDU)	MU-150HD or			
	MU-190 or			
	JH 15T17 FUD-AA1-AC			
	JH 15T17 FUD-DA1-AC			
	JH 19T14 FUD-AA1-AC			
	JH 19T14 FUD-MA1-AC			
	JH 19T14 FUD-AA1-AA			
	JH 19T14 MMD-MA1-A			
	JH 20T17 FUD-AA1-AC			
	JH 20T17 FUD-DA1-AC	JH 20T17 FUD-DA1-AOAA		
Control unit	RCU-028		1)Option	
Trackball control unit	RCU-030 ¹⁾		Орион	
Antenna unit (12 kW) XN12AF-RSB-120-100		(Scanner/Gear		
,	XN12AF-RSB-121-100	/-Transceiver)		
	XN20AF-RSB-120-100			
	XN20AF-RSB-121-100			
Antenna unit (25 kW) XN20AF-RSB-120-101		(Scanner/Gear	²⁾ applicable for HSC	
	XN20AF-RSB-121-101 ²⁾	/-Transceiver)	(48 rpm)	
	XN24AF-RSB-120-101			
	XN24AF-RSB-121-101 ²⁾			
Performance monitor	PM-32A			
Switching HUB	HUB-100		Option	
Software versions	Antenna unit	0359296-01.xx(PM)		
201111412 721310113	Processor unit	0359344-01.xx(SPU		
	Control unit	0359348-01.xx(KEY)		
	Display unit	1.xx	•	

Type Examination documentation:

Type Examination documentation:				
DNV No.	Document No.	Rev.	Document Title	
57	DELTA-L102798-4751/2/3		Test of flicker from 15,19,20 inch monitor for use as ECDIS monitor	
56	OC102232-1	1	Appendix IEC62288 JH 19T14 HW068	
54	DOC102116-4		IEC62288: JH 15T17 MMD-AA1-AABR-HW09	
53	DOC102116-2		IEC62288: JH 20T17 MMD-AA1-AABA-HW06	
52	DOC102116-3		IEC62288: JH 19T14 MMD-MA1-SABA-HW09	
51	DOC101909-1	3	Hatteland Displays: KeyPad P004511-1: minimum brightness measurement	

Form code: MED 101.NOR Revision: 2015-11 www.dnvgl.com Page 3 of 4

Job Id: **344.1-004741-5** Certificate No: **MEDB000008T**

Revision No: 1

APPENDIX

Type Examination documentation cont.:

Type E	Type Examination documentation cont.:						
DNV No.	Document No.	Rev.	Document Title				
50	DNV 2008-3511	2	IEC60945: JH 20T17 MMD-AA1-AABA				
49	DNV 2013-3038		IEC60945: JH 19T14 MMD-MA1-AAAA				
48	DNV 2008-3528		IEC60945: JH 19T14 MMD-AA1-AOAA				
47	DNV 2009-3442	2	IEC60945: JH 19T14 MMC-AA1-AABR				
46	DNV 2008-3324		IEC60945: JH 15T17 MMD-DA1-AOAA				
45	DNV 2011-3494	1	IEC60945: JH 15T17 MMD-AA1-AABA				
43	K03-17-1877		FAR-3xx0; DNV type approval testing report for Pending items				
42	K03-17-1538		FCR-2xx9: DNV type approval testing report for Pending items				
41	FLI 12-10-039	3	Test report(IEC62288 and IEC62388) MU-190				
40	FLI-12-10-068	1	Test report(IEC60945) Monitor unit MU-190				
31	K03-17-2100	1	IEC62388; - Result of TT and Association Scenario test				
30	FLI12-15-044	1	IEC62288 ed.2.0 test of MU-150HD				
29	BSH/6522/1114-8/2004		Conformance test of FAR-2xx7 RADAR series				
27	K03-17-2263		FAR-15x8 Radar Antenna Pattern data				
25	3 August 2015		Test report IMO RADAR; STCW FAR-15x8 function test report.				
24	K03-17-2162		Performance in sea and rain clutter				
23	K03-17-2130		Software correction report				
22	MLG-36380-Z7		Operator's guide				
21	IME-36380-Z10		Installation manual				
20	OME-36380-Z12		Operator's manual				
19	Applica 20587	0	Performance testing of two radar systems				
18	BSH.4543.4342577.13-1	1.0	Test report FURUNO FAR-2xx7 (IEC 62388 Ed.2)				
17	K03-17-2129		Detection performance of a navigation buoy				
15	K03-17-2099	1.02	Radar TA Test procedure				
11	FLI12-15-042		Electromagnetic radiofrequency radiation test report				
10	FLI12-15-027		Test report IEC61162-1/-2				
9	FLI12-15-026		Test report IEC60945				
8	FLI12-15-025		EMC test report				
7	FLI12-15-024		Compass Safe Distance				
4	QinetiQ/15/00826	V1.1	Unwanted emission measurements of Furuno radar systems FUR(X)207, FUR(X)208, FUR(X)209				

Form code: MED 101.NOR Revision: 2015-11 www.dnvgl.com Page 4 of 4