

EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Certificate No: **MEDB00002AU** Revision No:

4

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED), issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Authority. This Certificate is issued by DNV GL AS under the authority of the Government of Norway.

This is to certify:

That the Radar equipment

with type designation(s)

FAR-2318, FAR-2328, FAR-2328W, FAR-2338S, FAR-2338SW, FAR-2338S-NXT, FAR-2218(-BB), FAR-2238S(-BB), FAR-2238S(-BB), FAR-2238S-NXT(-BB)

Issued to

Furuno Electric Co., Ltd. Nishinomiya, Hyogo Pref, Japan

is found to comply with the requirements in the following Regulations/Standards: Regulation (EU) 2018/773,

item No. MED/4.34/4.35/4.36. SOLAS 74 as amended, Regulations V/18 & V/19, IMO Res. A.278(VIII), IMO Res. A.694(17), IMO Res. MSC.191(79), IMO Res. MSC.192(79), IMO Res. MSC.302(87), ITU-R M.1177-4 (04/11)

Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until 2023-02-26.

Issued at Høvik on 2019-08-27

DNV GL local station:

Kobe

Approval Engineer:

Olaf Gundersrud

0

for **DNV GL AS**

Notified Body No.: **0575** Roald Vårheim Head of Notified Body



The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Directive 2014/90/EU.

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV GL AS of any changes to the approved equipment. This certificate remains valid unless suspended, withdrawn, recalled or cancelled. Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.



Form code: MED 201.NOR Revision: 2017-07 www.dnvgl.com Page 1 of 6

Revision No: 4

Product description

The Radars FAR-2318, FAR-2328, FAR-2328W, FAR-2338S, FAR-2338SW, FAR-2338S-NXT, FAR-2218(-BB), FAR-2238S(-BB) and FAR-2238S-NXT(-BB) consist of the following units:

Unit	Location
Processor unit	Protected
Monitor (display) unit	Protected
Control unit (operation panel)	Protected
Data interface	Protected
Up-mast transceiver unit -	Exposed
- or down-mast transceiver unit	Protected
Antenna unit	Exposed

For details, see Appendix.

Application/Limitation

- The radar types FAR-23x8(-nn) is found to be in compliance with RADAR for ships; CAT 1 and CAT 2 and CAT 3 (dependent of monitor installed, ref. Appendix).
- The radar types FAR-22x8(-nn) is found to be in compliance with RADAR for ships; CAT 2 and CAT 3 (dependent of monitor installed, ref. Appendix).
- The FAR-radar supports a DVI-I port and Ethernet port being in compliance with IEC61996-1 for interconnection with the VDR.
- The FAR-radar shall be installed and tested onboard in accordance with the pertinent Installation Manual (ref. appendix)

Type Examination documentation

■ See Appendix.

Tests carried out

- IEC 62388(2013)
- IEC 61162-1(2016)
- IEC 61162-2(1998)
- IEC 61162-450(2011 with Am1(2016))
- IEC 62288(2014)
- IEC 60945(2002) incl. Corr.1(2008)

Marking of product

The type designation and name and contact address of the manufacturer shall be affixed visibly, legibly and indelibly to the product. In addition the product shall be marked with serial number, safe distance to magnetic compass, power consumption and/or supply voltage.

USCG Approval for ARPA/ATA/EPA (CAT 1/CAT 2/CAT 3)

The product has been assigned a **U.S. Coast Guard Module B number**, USCG approvals 165.115/EC0575, 165.116/EC0575, 165.117/EC0575 as applicable, to note type approval to Module B only as it pertains to obtaining US Coast Guard approval as allowed by the "Agreement between the United States of America and the EEA/EFTA states on the mutual recognition of certificates of conformity for marine equipment" signed 17 October 2005 and amended 22 february 2019.

The RADAR transceiver is not covered by the agreement and must have separate U.S. certification for installation on U.S. flagged vessels.

Form code: MED 201.NOR Revision: 2017-07 www.dnvgl.com Page 2 of 6

Revision No: 4

APPENDIX

Product description

The CAT 1 radars FAR-2318, FAR-2328, FAR-2328W, FAR-2338S, FAR-2338SW, FAR-2338S-NXT and the CAT 2/3 radars FAR-2218(-BB), FAR-2228(-BB), FAR-2238S(-BB), FAR-2238-NXT(-BB) comprise combinations of the following components:

Unit	Model Name	Con	nponents	Remark
Processor Unit	RPU-025			
Data Interfaces (embedded)	03P9648 I/O board 03P9652			IEC61162-2/ IEC61162-1
	Ethernet 100 Base-T 2 ports		IEC61162-450	
	VDR-connection DVI-I or Ethernet		LAN2 port	
	HMC-200CE-A	HMC-200CE-A LAN signal converter		option
Monitor Unit for CAT 1/2/3 Optional monitor unit for CAT 2/3 Optional monitor unit for CAT 3	MU-231 or MU-270W or HD26T21 MMD-MAx-FAGA ²⁾ or HD27T22 FUD-MAx-FxGx ²⁾ or HD32T22 FUD-MAx-AxGx ³⁾ or HD55T22 FUD-xAx-xOxx ²⁾ or JH 23T14 FUD-MA1-AxxA ²⁾ or WA460-01-MON-01-xxFU ²⁾ or WA270-01-MON-01-xxFU ²⁾ MU-190 or HD24T22 FUD-MAx-FxGx ²⁾ or HD19T22 FUD-MAx-FxGx ²⁾ or HD19T22 FUD-MAx-FxGx ²⁾ or JH 19T14 FUD-xA1-xxxA ³⁾ or JH 20T17 FUD-xA1-AOAA ³⁾ MU-152 ²⁾ or HD15T22 FUD-MAx-FxGx ²⁾ or JH 15T17 FUD-xA1-xxxx ²⁾			x=variable letter/number according to manufacturer's type number identification 2)DVI/VGA connection 3)DVI connection
Radar control units	RCU-014 or RCU-015 and RCU-016 ⁴)			⁴⁾ optional
	model	transceiver	Antenna unit	
X-band transceiver	FAR-2318 FAR-2218(-BB)*	RTR-105	XN12CF-RSB-128 XN20CF-RSB-128 XN24CF-RSB-128	4 ft 6.5 ft *CAT 2/3 8 ft

Form code: MED 201.NOR Revision: 2017-07 www.dnvgl.com Page 3 of 6

Revision No: 4

APPENDIX

Product description cont.

Unit	Model Name	Components		Remark	
	FAR-2328 FAR-2228(-BB)*	RTR-106	XN12CF-RSB-128 XN20CF-RSB-128 XN24CF-RSB-128	*CAT 2/3	
	FAR-2328W	RTR-108	XN20CF-RSB-130 XN24CF-RSB-130		
S-band transceiver	FAR-2338S FAR-2238S(-BB)*	RTR-107	SN36CF-RSB-129	12.5 ft *CAT 2/3	
	FAR-2338SW	RTR-109	SN36CF-RSB-131		
	FAR-2338S-NXT FAR-2238S-NXT(-BB)*	RTR-111 SN36CF-RSB-133		250W – solid state *CAT 2/3	
Performance	PM-32A	X-band		⁵⁾ solid state	
monitors	PM-52A	S-band			
	PM-52B ⁵⁾	S-band			
LAN switching HUB	HUB-100	100		Option	
LAN intelligent HUB	HUB-3000			Option	
Junction Box	RJB-001			Option	
Software	03P9377-xx.xx	RPU-025 (main)			
	03P9380-xx.xx	RPU-025 (sub)			

Type Examination documentation

NPS No.	Document No.	Rev.	Document Title
110	LIC 12-19-019	1	RPU-025: IEC60945 other test report
109	LIC 12-19-016	1	RPU-025: IEC60945 CSD test report
108	LIC 12-19-015	1	RPU-025: IEC60945 env. test report
107	LIC 12-19-014	1	RPU-025: EMC test report
104	Applica 2010-3421	1	JH 20T17 MMD-DA1-AAAR Technical report
103	Applica 2010-3253		JH 20T17 MMD-DA1-AAAA Technical report
102	LIC 12-17-074		MU-152 IEC62288 -CSD report
101	LIC 12-17-073		MU-152 IEC62288 -test report
100	LIC 12-17-072		MU-152 IEC60945 others -test report
99	LIC 12-17-071		MU-152 IEC60945 test report
98	LIC 12-17-070		MU-152 EMC test report
96	applica 21008	0	HD 24T22 MMD IEC60945 testing
94	VS-TV-060720-04		Vibration test: HD 19T22 MMD-MA1-FHGA-ES-1
90	Applica 20589	0	HD15T21 MMC-M2N-PCAA: EMC & environmental testing
89	DNV 2012-3177	0	HD15T21 MMD-FA1-FHGA: EMC & environmental testing
88	Applica 21009	0	HD26T22 MMD-MA1-FAGP-ES: EMC & environmental testing

Form code: MED 201.NOR Revision: 2017-07 www.dnvgl.com Page 4 of 6

344.1-006649-3 Job Id: Certificate No: MEDB00002AU

Revision No:

APPENDIX

NPS No.Document No.Rev.Document Title87Applica 211200HD15T22 MMD-MA1-FOGA-ES: Radiated emission & compassafe distance86Applica 211210HD15T22 MMD-MA1-FHGA-ES: EMC & environmental testing85Applica 205880HD19T21 MMC-M2D-MBAA: EMC & environmental testing83Applica 211220HD19T22 MMD-MA1-FOGA-ES: EMC radiated emission82Applica 210890HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC testing81170421001THD19T22 MMD-MA1 -EMC-FAGP-ES: EMC & environmetal testing80170703002THD19T22 MMD-MA1 -EMC-FHGA-ES-1: EMC & environmetal	
87 Applica 21120 0 HD15T22 MMD-MA1-FOGA-ES: Radiated emission & compassafe distance 86 Applica 21121 0 HD15T22 MMD-MA1-FHGA-ES: EMC & environmental testing 85 Applica 20588 0 HD19T21 MMC-M2D-MBAA: EMC & environmental testing 83 Applica 21122 0 HD19T22 MMD-MA1-FOGA-ES: EMC radiated emission 84 Applica 21089 0 HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC testing 85 Applica 21089 0 HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC & environmetal testing	
safe distance 86 Applica 21121 0 HD15T22 MMD-MA1-FHGA-ES: EMC & environmental testing 85 Applica 20588 0 HD19T21 MMC-M2D-MBAA: EMC & environmental testing 83 Applica 21122 0 HD19T22 MMD-MA1-FOGA-ES: EMC radiated emission 82 Applica 21089 0 HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC testing 81 170421001T HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC & environmetal testing	
safe distance 86 Applica 21121 0 HD15T22 MMD-MA1-FHGA-ES: EMC & environmental testing 85 Applica 20588 0 HD19T21 MMC-M2D-MBAA: EMC & environmental testing 83 Applica 21122 0 HD19T22 MMD-MA1-FOGA-ES: EMC radiated emission 82 Applica 21089 0 HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC testing 81 170421001T HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC & environmetal testing	s
86 Applica 21121 0 HD15T22 MMD-MA1-FHGA-ES: EMC & environmental testing 85 Applica 20588 0 HD19T21 MMC-M2D-MBAA: EMC & environmental testing 83 Applica 21122 0 HD19T22 MMD-MA1-FOGA-ES: EMC radiated emission 82 Applica 21089 0 HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC testing 81 170421001T HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC & environmetal testing	
85 Applica 20588 0 HD19T21 MMC-M2D-MBAA: EMC & environmental testing 83 Applica 21122 0 HD19T22 MMD-MA1-FOGA-ES: EMC radiated emission 82 Applica 21089 0 HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC testing 81 170421001T HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC & environmetal testing	
83 Applica 21122 0 HD19T22 MMD-MA1-FOGA-ES: EMC radiated emission 82 Applica 21089 0 HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC testing 81 170421001T HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC & environmetal testing	
82 Applica 21089 0 HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC testing 81 170421001T HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC & environmetal testing	
81 170421001T HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC & environmetal testing	
testing	
T OU LIZOUUZI TEMELA LIIDISTZZ MMD-MAI -EMC-FRUA-ES-I, EMC & ENVIONMELA	
testing	
79 DNV 2010-3124 2 JH23T14 MMD-MA1 -EMC and environmental testing	
77 DOC102116-1 1 JH23T14 MMD-MA1-AABA IEC62288 Conformance test repo	t
76 DOC101909-1R3 Keypad P004511-1 minimum brightness test	
75 DOC100829-6 JH23T14-MMD-MA1-OBA Flicker test	
73 TAA00000S1 DNVGL TA-certificate	
71 doc205984-1 IEC62288: HD55T22 conformance test	
70 doc205971-1 IEC62288: HD55T22 flicker test	
69 applica 21007 0 HD55T22 EMC and environmental testing (2)	
68 applica 20869 1 HD55T22 EMC and environmental testing	
67 Nemko E16240.01 HD55T22 Vibration test	
65 doc205992-1 IEC62288 conformance test report HD32T22	
64 doc205970-1 IEC62288 flicker test HD32T22	
63 doc206156-1 1 HD 27T22 MMD - IEC62288 FLICKER TEST	
62 doc206155-1 1 HD 27T22 MMD-MA1-FAGA-ES: IEC62288 and colour calibra	tion
60 Applica 20941 0 EMC and environmental testing of HD 27T22 MEC	
59 Applica 20885 0 EMC and environmental testing of HD 27T22 MEC	
58 doc205967-1 Flicker test report HD24T22	
56 doc102352-2 2 IEC62288: Conformance test report 24T22 MMD	
54 Applica 21009 0 HD 26T22 MMD: EMC and environmental testing	
53 Applica 21008 0 HD 24T21 MMD: EMC and environmental testing	
50 doc205969-1 1 IEC62288 Flicker test report HD26T22 MMD	
49 doc205958-1 2 Minimum brightness test of GDCX Rev 5	
48 doc102352-3 IEC62288: Conform. test report HD 26T22 MMD-MA1-FAGA	ES
46 2008-3511 IEC60945 technical report: JH 20T17 MMD-AA1-AABA	
45 2013-3038 IEC60945 technical report: JH 19T14 MMD-MA1-AAAA	
44 2008-3528 IEC60945 technical report: JH 19T14 MMD-AA1-AOAA	
43 2009-3442 IEC60945 technical report: JH 19T14 MMC-AA1-AABR	
42 2008-3324 IEC60945 technical report: JH 15T17 MMD-DA1-AOAA	
41 2011-3494 1 IEC60945 test report: JH 15T17 MMD-AA1-AABA	
39 DOC102116-4 IEC62288: JH 15T17 MMD-AA1-AABR-HW09	
38 DOC102116-3 IEC62288: JH 19T14 MMD-MA1-SABA-HW09	
37 DOC102116-2 IEC62288: JH 20T17 MMD-AA1-AABA-HW06	
35 IME-36520-C11 Installation manual: Marine RADAR, FAR-2xx8 series	
34 OME-36520-B11 Operator's manual: Marine RADAR, FAR-2xx8 series	
31 LIC 12-17-023 IEC61162-450 report: FAR-2xx8	
30 LIC 12-17-022 IEC61162-1/2 report: FAR-2xx8	
29 LIC 12-17-021 CSD IEC60945: FAR-2xx8	

Form code: MED 201.NOR Revision: 2017-07 www.dnvgl.com Page 5 of 6

Revision No: 4

APPENDIX

Type Examination documentation cont.

	NDC			
NPS	Document No.	Rev.	Document Title	
No.				
28	LIC 12-17-020		IEC60945 others: FAR-2xx8	
27	LIC 12-17-019		Temp. & vibration IEC60945: FAR-2xx8	
26	LIC 12-17-018		EMC IEC60945: FAR-2xx8	
23	Applica 20128	0	Performance testing of Radar FAR-3000 series	
21	RET-17-009		The answer of DNVGL comment about FAR-2xx8 type approval	
20	K03-17-1538		DNV type approval testing report for pending items: FCR-2xx9 series	
19	K03-17-1758		Wind tunnel test report: Radiator & scanner XN12CF/XN20CF/XN24CF and RSB-128	
18	K03-17-1759		Wind tunnel test report: Radiator/scanner SN36CF/RSB-129	
17	K03-17-1814		Result of TT and Association scenario test marine Radar: FAR-3xx0	
16	K03-17-1815		DNV type approval report Marine Radar: FAR-3xx0	
15	K03-17-1869		Radar antenna radiation pattern data: FAR-3xxx series	
14	K03-17-1888	1	Performance in sea and rain clutter : FAR-3210 with XN-20CF	
13	K03-17-1894	1	Performance in sea clutter : FAR-3xx0	
12	K03-17-1899	1	Performance in sea and rain clutter: FAR-3xx0	
11	K03-17-2549		DNVGL type test report marine Radar FAR-2xx8	
10	K03-17-2567		Result of TT and Association scenario test: FAR-2xx8	
9	QINETIQ/MS/MAR/CR1303		Unwanted emission measurements of RTR-	
	326/V1.2		105/106/107/111 XN-12CF, XN-24CF, SN36CF	
8	OSE-36520-Z1		Operator's Guide FAR-2xx8 series	
5	LIC 12-16-012		IEC62288 ed.2.0: Monitor unit MU-270W	
3	BSH/4543/4342577/13-1		Marine Radar FAR-2xx7: IEC62388(2013)	
2	BSH 6522/1114-8/2004		FAR-2xx7 radar Series	
1	FLI 12-10-039		IEC62288 & IEC62388 test report for MU-190 and MU-231	
57*	DELTA-L102798-475n		Test of Flicker from 15, 19, 20 inch monitors for use as	
	(n=1,2,3)		ECDIS monitor	

^{*}Ref. physical archive 344.1-004741-3

Form code: MED 201.NOR Revision: 2017-07 www.dnvgl.com Page 6 of 6