

EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Certificate No: MEDB0000FC Revision No: 6

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED), issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Authority. This Certificate is issued by DNV GL AS under the authority of the Government of Norway.

This is to certify:

That the Radar equipment

with type designation(s) FAR-1518(-BB)/FAR-1528(-BB)

Issued to

Furuno Electric Co., Ltd. Nishinomiya, Hyogo Pref, Japan

is found to comply with the requirements in the following Regulations/Standards: Regulation (EU) 2018/773,

item Nos. MED/4.35/4.36. SOLAS 74 as amended, Regulations V/18 & V/19, IMO Res. A.278(VIII), IMO Res. A.694(17), IMO Res. MSC.191(79), IMO Res. MSC.192(79), IMO Res. MSC.302(87), ITU-R M.1177-4 (04/11)

Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until 2021-08-17.

Issued at Høvik on 2018-08-28

DNV GL local station:

Kobe

Approval Engineer:

Olaf Gundersrud Notified Body No.: **0575**

for **DNV GL AS**

Roald Vårheim **Head of Notified Body**

This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV GL AS of any changes to the approved equipment. This certificate remains valid unless suspended, withdrawn, recalled or cancelled. Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.



Form code: MED 201.NOR Revision: 2017-07 www.dnvgl.com Page 1 of 5

A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F), as allowed by the "Agreement between the United States of America and the EEA EFTA states on the mutual recognition of Certificates of Conformity for Marine Equipment" signed 17 October 2005.

The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Directive 2014/90/EU.

Revision No: 6

Product description

The radars FAR-1518/1518-BB, FAR-1528/1528-BB consist of the following units:

Unit	Location
Main processing unit	Protected
Display unit	Protected
Operation Panel /control unit(s)	Protected
Antenna unit	Exposed

For details, see Appendix.

Application/Limitation

- The FAR-15x8(-BB) radar is found to be in compliance with the standards RADAR for ships; CAT 2 and CAT 3 (reliant on the monitor installed, ref. Appendix).
- The FAR-15x8(-BB) radar shall be installed and tested onboard in accordance with the Installation Manual IME-36380-E11 (or later version)

Type Examination documentation

See Appendix.

Tests carried out

- IEC62388(2013)
- IEC61162-1(2016)
- IEC61162-2(1998)
- IEC62288(2014)
- IEC60945(2002) as amended

Marking of product

The manufacturer and Type Designation to be applied to the equipment in a clearly visible location and in addition the equipment shall be marked with serial number, safe distance to magnetic compass, power consumption and/or supply voltage.

USCG Approval for ATA/EPA(CAT2/CAT3)

The product has been assigned a **U.S. Coast Guard Module B number**, USCG approvals 165.116/EC0575 and 165.117/EC0575 as applicable, to note type approval to Module B only as it pertains to obtaining US Coast Guard approval as allowed by the "Agreement between the United States of America and the EEA/EFTA states on the mutual recognition of certificates of conformity for marine equipment" signed 17 October 2005

The RADAR transceivers are not covered by the agreement and must have separate U.S. certification for installation on U.S. flagged vessels

Form code: MED 201.NOR Revision: 2017-07 www.dnvgl.com Page 2 of 5

Revision No: 6

APPENDIX

Product description:

The Radar FAR-1518/FAR-1518-BB/FAR-1528/FAR-1528-BB comprises combinations of the following units:

Unit	Model Name	Components	Remark	
Processing Unit	RPU-024			
Data Interfaces	(embedded)	2 ports	IEC61162-2/IEC61162-1	
	(embedded)	4 ports	IEC61162-1	
	RGB output	1 port	To VDR	
Monitor unit(s) (CAT2 & CAT3)	MU-190 or JH 19T14 FUD-xA1-xxxA ¹ JH 19T14 MMD-MA1-AAB JH 20T17 FUD-xA1-AOAA	¹)DVI connection		
Optional monitor units(s) (CAT3)	HD 19T22 FUD-MA1-xxxx ¹⁾			
Control unit Trackball control unit ²⁾	RCU-028 RCU-030 ²⁾		²⁾ Option	
Antenna unit 12 kW	XN12AF-RSB-120-100 XN12AF-RSB-121-100 ³⁾ XN20AF-RSB-120-100 XN20AF-RSB-121-100 ³⁾	(Scanner/Gear/	3) applicable for HSC	
25 kW	XN20AF-RSB-120-101 XN20AF-RSB-121-101 ³⁾ XN24AF-RSB-120-101 XN24AF-RSB-121-101 ³⁾	-Transceiver)	(48 rpm)	
Performance monitor	PM-32A			
Switching HUB	HUB-100		Option	
Software versions	0359296-01.xx(PM) 0359344-01.xx(SPU) 0359348-01.xx(KEY) 1.xx	Antenna unit Processor unit Control unit Display unit		

Type Examination documentation:

NPS No.	Document No.	Rev.	Document Title
1024)	LIC 12-17-074		MU-152 IEC62288 -CSD report
1014)	LIC 12-17-073		MU-152 IEC62288 -test report
1004)	LIC 12-17-072		MU-152 IEC60945 others -test report
99 ⁴⁾	LIC 12-17-071		MU-152 IEC60945 test report
98 ⁴⁾	LIC 12-17-070		MU-152 EMC test report
83 ⁴⁾	Applica 21122	0	HD19T22 MMD-MA1-FOGA-ES: EMC radiated emission
82 ⁴⁾	Applica 21089	0	HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC testing
81 ⁴⁾	170421001T		HD19T22 MMD-MA1 -EMC-FAGP-ES: EMC &
			environmetal testing

Form code: MED 201.NOR Revision: 2017-07 www.dnvgl.com Page 3 of 5

Revision No: 6

APPENDIX

Type Examination documentation (cont.):

ype Examination documentation (cont.): NPS				
Document No.	Rev.	Document Title		
170703002T		HD19T22 MMD-MA1 -EMC-FHGA-ES-1: EMC & environmetal testing		
K03-17-2700		Type approval testing report FAR-1518(-BB)/1528(-BB)		
DELTA-L102798-4751/2/3		Test of flicker from 17,19,20 inch monitor for use as ECDIS monitor		
DOC101909-1	04	Keypad P004511-1 Minimum brightness measurement		
DOC102116-2		IEC62288: JH 20T17 MMD-AA1-AABA-HW06		
DOC102116-3		IEC62288: JH 19T14 MMD-MA1-SABA-HW09		
DOC101909-1	3	Hatteland Displays: KeyPad P004511-1: minimum brightness measurement		
DNV 2008-3511	2	IEC60945: JH 20T17 MMD-AA1-AABA		
DNV 2013-3038		IEC60945: JH 19T14 MMD-MA1-AAAA		
DNV 2008-3528		IEC60945: JH 19T14 MMD-AA1-AOAA		
DNV 2009-3442	2	IEC60945: JH 19T14 MMC-AA1-AABR		
K03-17-1877		FAR-3xx0; DNV type approval testing report for Pending items		
K03-17-1538		FCR-2xx9: DNV type approval testing report for Pending items		
FLI 12-10-039	3	Test report(IEC62288 and IEC62388) MU-190		
FLI-12-10-068	1	Test report(IEC60945) Monitor unit MU-190		
K03-17-2100	1	IEC62388; - Result of TT and Association Scenario test		
FLI12-15-044	1	IEC62288 ed.2.0 test of MU-150HD		
BSH/6522/1114-8/2004		Conformance test of FAR-2xx7 RADAR series		
K03-17-2263		FAR-15x8 Radar Antenna Pattern Data		
3 August 2015		Test report IMO RADAR; STCW FAR-15x8 function test report.		
K03-17-2162		Performance in sea and rain clutter		
K03-17-2130		Software correction report		
MLG-36380-Z7		Operator's guide		
IME-36380-E11		Installation manual		
OME-36380-D11		Operator's manual		
Applica 20587	0	Performance testing of two radar systems		
BSH.4543.4342577.13-1	1.0	Test report FURUNO FAR-2xx7 (IEC 62388 Ed.2)		
K03-17-2129		Detection performance of a navigation buoy		
K03-17-2099	1.02	Radar TA Test procedure		
FLI12-15-042		Electromagnetic radiofrequency radiation test report		
FLI12-15-027		Test report IEC61162-1/-2		
FLI12-15-026		Test report IEC60945		
FLI12-15-025		EMC test report		
	Document No. 170703002T K03-17-2700 DELTA-L102798-4751/2/3 DOC101909-1 DOC102116-2 DOC102116-3 DOC101909-1 DNV 2008-3511 DNV 2013-3038 DNV 2008-3528 DNV 2009-3442 K03-17-1877 K03-17-1538 FLI 12-10-039 FLI-12-10-068 K03-17-2100 FLI12-15-044 BSH/6522/1114-8/2004 K03-17-2263 3 August 2015 K03-17-2162 K03-17-2130 MLG-36380-Z7 IME-36380-B11 OME-36380-D11 Applica 20587 BSH.4543.4342577.13-1 K03-17-2129 K03-17-2099 FLI12-15-042 FLI12-15-042 FLI12-15-026	Document No. Rev. 170703002T		

Form code: MED 201.NOR Revision: 2017-07 www.dnvgl.com Page 4 of 5

Revision No: 6

APPENDIX

Type Examination documentation (cont.):

NPS No.	Document No.	Rev.	Document Title
7	FLI12-15-024		Compass Safe Distance
4	QinetiQ/15/00826	V1.1	Unwanted emission measurements of Furuno radar systems FUR(X)207, FUR(X)208, FUR(X)209

⁴⁾The NPS document number refers to NPS-folder 344.1-006649

Form code: MED 201.NOR Revision: 2017-07 www.dnvgl.com Page 5 of 5